

ASTRONOMY AND ASTROPHYSICS

A European Journal

Volume 325 1997

Published by Springer on behalf of the Board of Directors

Astronomy and Astrophysics

A European Journal

Board of Directors

Chairman: A. Maeder (Switzerland)	Vice Chairman: A. G. Hearn (The Netherlands)	G. Kovacs (Hungary)	J. Ventura (Greece)
D. Alloin (France)	M. Crézé (France)	K. Mattila (Finland)	R. Wielen (Germany)
M. Arnould (Belgium)	J. Einasto (Estonia)	P. E. Nissen (Denmark)	J. Zverko (Slovak Republic)
M. Breger (Austria)	R. Giacconi (ESO)	Aa. Sandqvist (Sweden)	
R. Canal (Spain)	P. Harmanec (Czech Republic)	A. Stawikowski (Poland)	
G. di Cocco (Italy)	W. H. Kegel (Germany)		

Editors-in-Chief

J. Lequeux
Astronomy and Astrophysics
Editorial Office
Observatoire de Paris
61 avenue de l'Observatoire
F-75014 Paris
France
Tel. (33-1) 43 29 05 41
Fax (33-1) 43 29 05 57
e-mail: aanda@mesiob.obspm.fr (internet)
mesioa:: aanda (span)

H. J. Habing
Astronomy and Astrophysics
Editorial Office
Leiden Observatory
P. O. Box 9513
2300 RA Leiden
The Netherlands
Tel. (31) (0) 71-5 27 59 16
Fax (31) (0) 71-5 27 58 03
e-mail: aanda@strw.leidenuniv.nl

Letter Editor

S. R. Pottasch
Kapteyn Astronomical Institute
P. O. Box 800
9700 AV Groningen
The Netherlands
Tel. (31-50) 3 63 40 93
Telefax (31-50) 3 63 61 00
e-mail: aalet@astro.rug.nl

Editorial secretaries

Miss B. Perche
Mrs. M. Rougeot

Mrs. B. Smit
Mrs. M. Wisse

Mrs. J. Zwegers-Morris

The exclusive copyright © for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, is vested in European Southern Observatory (ESO).

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Contents

Letters to the Editor

A transient supersoft X-ray source in the Large Magellanic Cloud
Orio M., Della Valle M., Massone G., Ögelman H.

Radio detection of ammonia in comet Hale-Bopp
Bird M.K., Huchheimer W.K., Gensheimer P., Wilson T.L., Janardhan P., Lemme C.

Search for rotational variation in the spectra of 253 Mathilde
Doressoundiram A., Barucci M.A., Fulchignoni M.

Hard X-ray detection of NGC 1068 with BeppoSAX
Matt G., Guainazzi M., Frontera F., Bassani L., Brandt W.N., Fabian A.C., Fiore F., Haardt F., Iwasawa K., Maiolino R., Malaguti G., Marconi A., Matteuzzi A., Molendi S., Perola G.C., Piraino S., Piro L.

BeppoSAX observation of 3C 273: broadband spectrum and detection of a low-energy absorption feature
Grandi P., Guainazzi M., Mineo T., Parmar A.N., Fiore F., Matteuzzi A., Nicastro F., Perola G.C., Piro L., Cappi M., Cusumano G., Frontera F., Giarrusso S., Palazzi E., Piraino S.

Infrared spectral energy distributions of the interacting galaxies Arp 244, NGC 6240, and Arp 220
Klaas U., Haas M., Heinrichsen I., Schulz B.

The effect of rotation on the absolute visual magnitudes of OB stars measured with Hipparcos
Lamers H.J.G.L.M., Harzvoort J.M.A.G., Schrijver H., Hoogerwerf R., Kudritzki R.P.

Optical polarization properties of GRO J1655-40
Scaltriti F., Bodo G., Ghisellini G., Gliozzi M., Trussoni E.

Cosmology

A modification of the baryonic dark matter model
Mészáros A.

Abundance and clustering of QSOs in cosmic structure formation models
Bi H.-G., Fang L.-Z.

Non-linear dynamics and mass function of cosmic structures. I. Analytical results
Audit E., Teyssier R., Alimi J.-M.

Using distant type Ia supernovae to measure the cosmological expansion parameters
Tripp R.

Gravitational microlensing of large sources including shear term effects
Refsdal S., Stabell R.

Results of a search for emission-line galaxies towards nearby voids. The spatial distribution
Popescu C.C., Hopp U., Elsässer H.

L1 Age of the universe constrained from the primordial nucleosynthesis in the Brans-Dicke theory with a varying cosmological term
Etoh T., Hashimoto M., Arai K., Fujimoto S.

Extragalactic astronomy

Cosmology with Sunyaev-Zeldovich observations from space
Aghanim N., De Luca A., Bouchet F.R., Gispert R., Puget J.L.

L13 A statistical method of testing the gamma-ray emission mechanisms of blazars
Chi X., Young E.C.M.

Optical and UV observations of the BL Lacertae object PKS 2155-304
Heidt J., Wagner S.J., Wilhelm-Erkens U.

L17 On the derivation of the Tully-Fisher relations. II. Field galaxies, the inverse TF slope and the Hubble constant
Ekholm T., Teerikorpi P.

L21 The 3D geometry of Dark Matter Halos
Becquaert J.-F., Combes F.

L25 The synchrotron spectra of radio hot spots. II. Infrared imaging
Meisenheimer K., Yates M.G., Röser H.-J.

L29 A deprojection method to obtain the spectral index distribution in diffuse radio halos of clusters of galaxies
Deiss B.M.

Circumnuclear molecular gas and star formation in starburst galaxies
Planesas P., Colina L., Pérez-Olea D.

1 10 μ m imaging and H α observations of the Blue Compact Dwarf galaxy He 2-10
Sauvage M., Thuau T.X., Lagage P.O.

Are high polarization quasars and BL Lacertae objects really different? A study of the optical spectral properties
Scarpa R., Falomo R.

The interstellar medium in the edge-on galaxy NGC 5907. Cold dust and molecular line emission
Dumke M., Braine J., Krause M., Zylka R., Wielebinski R., Guélin M.

871 The distribution of stars and dust in spiral galaxies: the edge-on spiral UGC 2048
Xilouris E.M., Kylafis N.D., Papamastorakis J., Paleologou E.V., Haerendel G.

Origin of the IR continuum in the Circinus galaxy		
<i>Siebenmorgen R., Moorwood A., Freudling W., Käufl H.U.</i>	450	
A <i>UVB/variability/proper motion QSO survey from Schmidt plates. I. Method and success rate</i>		
<i>Scholz R.-D., Meusinger H., Irwin M.</i>	457	
H ₁ -deficiency in Hickson compact groups of galaxies		
<i>Huchmeier W.K.</i>	473	
VLBA polarimetric observations of 3C 286 at 5 GHz		
<i>Cotton W.D., Fanti C., Fanti R., Dallacasa D., Foley A.R., Schilizzi R.T., Spencer R.E.</i>		
The parsec-scale evolution of the superluminal quasar 1642+690		
<i>Venturi T., Pearson T.J., Barthel P.D., Unwin S.C.</i>		
Dual frequency VLBI polarimetric observations of 3C 138		
<i>Cotton W.D., Dallacasa D., Fanti C., Fanti R., Foley A.R., Schilizzi R.T., Spencer R.E.</i>	484	
The local luminosity function of QSOs and Seyfert 1 nuclei		
<i>Köhler T., Groote D., Reimers D., Wisotzki L.</i>	493	
High resolution radio imaging of the extremely distant quasars 1251–407, 1351–018, 1354–174 and 1508+572		
<i>Frey S., Gurvits L.I., Kellermann K.I., Schilizzi R.T., Pauliny-Toth I.I.K.</i>	502	
Sunyaev–Zeldovich effect measured towards Abell cluster A 2218		
<i>Uyaniker B., Reich W., Schlickeiser R., Wielebinski R.</i>	511	
Molecular gas in the barred spiral M 100. I. The IRAM 30 m map		
<i>Sempere M.J., García-Burillo S.</i>	516	
Inverse Compton X-rays from strong FRII radio-galaxies		
<i>Brunetti G., Setti G., Comastri A.</i>	521	
Arcsecond scale radio polarization of BL Lacertae objects		
<i>Stanghellini C., Dallacasa D., Bondi M., Della Ceca R.</i>	526	
Surface photometry of the edge-on spiral NGC 4565. I. V-band data and the extended optical warp		
<i>Näslund M., Jörsäter S.</i>	531	
The extended CO J = 1–0 emission in NGC 253		
<i>Houghton S., Whiteoak J.B., Koribalski B., Booth R., Wiklind T., Wielebinski R.</i>	536	
Global structure and formation of polar-ring galaxies		
<i>Reshetnikov V., Sotnikova N.</i>	541	
A VLBI study of GHz-peaked-spectrum radio sources. I. VLBI images at 6 cm		
<i>Stanghellini C., O'Dea C.P., Baum S.A., Dallacasa D., Fanti R., Fanti C.</i>	546	
The ESO Slice Project (ESP) galaxy redshift survey. I. Description and first results		
<i>Vettolani G., Zucca E., Zamorani G., Cappi A., Merighi R., Mignoli M., Stirpe G.M., MacGillivray H., Collins C., Balkowski C., Cayatte V., Maurogordato S., Proust D., Chincarini G., Guzzo L., Maccagni D., Scaramella R., Blanchard A., Ramella M.</i>	551	
The star formation law in disk galaxies: a Bayesian view		
<i>Köppen J., Fröhlich H.-E.</i>	561	
The Lyman continuum radiation escaping from galaxies		
<i>Deharveng J.-M., Faïsse S., Milliard B., Le Brun V.</i>	569	
Galactic structure and dynamics		
A simple effective method to estimate the galactic extinction towards galaxies in the plane of the Milky Way		
<i>Gajdošák M., Weinberger R.</i>	144	
Understanding some moving groups in terms of a global spiral shock		
<i>Comerón F., Torra J., Figueras F.</i>	149	
The G dwarf metallicity distribution and the problem of stellar lifetimes lower than the disk age		
<i>Rocha-Pinto H.J., Maciel W.J.</i>	523	
Star formation in N-body simulations. I. The impact of the stellar ultraviolet radiation on star formation		
<i>Gerritsen J.P.E., Icke V.</i>	528	
Stellar clusters and associations		
A search for companions to nearby southern M dwarfs with near-infrared speckle interferometry		
<i>Leinert Ch., Henry T., Glindemann A., McCarthy Jr. D.W.</i>	535	
Geneva photometry in the young open cluster NGC 6231		
<i>Raboud D., Cramer N., Bernasconi P.A.</i>	540	
Lithium in M 67: evidence for spread in a solar age cluster		
<i>Pasquini L., Randich S., Pallavicini R.</i>	545	
B-type pulsators in the open cluster NGC 884 (χ Persei)		
<i>Krzesiński J., Pigulski A.</i>	550	
Formation, structure and evolution of stars		
The WO stars. IV. Sand 5: a variable WO star		
<i>Polcaro V.F., Viotti R., Rossi C., Norci L.</i>	555	
Strange stars: how dense can their crust be?		
<i>Huang Y.F., Lu T.</i>	560	
Discovery of a very large magnetic field in three Ap stars		
<i>Babel J., North P.</i>	565	
Hyperbolicity and critical points in two-moment approximate radiative transfer		
<i>Smit J.M., Cernohorsky J., Dullemond C.P.</i>	570	
Pulse phase spectroscopy of A 0535+26 during its 1994 giant outburst observed with OSSE		
<i>Maisack M., Grove J.E., Kendziorra E., Kretschmar P., Staubert R., Strickman M.S.</i>	575	
Radial pulsations and stability of protoneutron stars		
<i>Gondek D., Haensel P., Zdunik J.L.</i>	580	
HST–GHRS observations of candidate β Pictoris-like circumstellar gaseous disks		
<i>Lezecavelier des Etangs A., Deleuil M., Vidal-Madjar A., Lagrange-Henri A.-M., Backman D., Lissauer J.J., Ferlet R., Beust H., Mouillet D.</i>	585	
Spectroscopic changes of the magnetic CP star γ Equulei		
<i>Scholz G., Hildebrandt G., Lehmann H., Glagolevskij Yu.V.</i>	590	
Cold dust around Herbig–Haro energy sources: morphology and new protostellar candidates		
<i>Chini R., Bo Reipurth, Sievers A., Ward-Thompson D., Haslam C.G.T., Kreysa E., Lemke R.</i>	595	
Detection of planetary spectral features of extrasolar planets through their circumstellar dust – a Monte Carlo simulation		
<i>Fischer O., Pfau W.</i>	600	
(RN) Oscillations of BT Cancri in the Praesepe cluster		
<i>Freyhammer L.M., Larsen S.S., Petersen J.O.</i>	605	
The δ Scuti star θ Tucanae. II. <i>uvby</i> colour variations and pulsational/orbital properties		
<i>Sterken C.</i>	610	
Dust evolution in protoplanetary accretion disks		
<i>Schmitt W., Henning T., Mucha R.</i>	615	
Obscured Asymptotic Giant Branch stars in the Magellanic Clouds. III. New IRAS counterparts		
<i>van Loon J.Th., Zijlstra A.A., Whitelock P.A., Waters L.B.F.M., Loup C., Trams N.R.</i>	620	
Spectroscopy of the dwarf nova CG Draconis		
<i>Bruch A., Schimpke Th., Kochsiek A.</i>	625	

(RN) High-resolution imaging of the bipolar nebula Red Rectangle. Evidence for unstable mass transfer in a close binary system	609	Inference of steady stellar wind $v(r)$ laws from optically thin emission lines. I. Idealised analysis for the profile of a single line	677
<i>Osterbart R., Langer N., Weigelt G.</i>		<i>Brown J.C., Richardson L.L., Cassinelli J.P., Ignace R.</i>	
New proper motions of pre-main sequence stars in Taurus - Auriga		Young Stellar Objects in Lynds 1641: a submillimetre continuum study	
<i>Frink S., Röser S., Neuhauser R., Sterzik M.F.</i>	613	<i>Zavagno A., Molinari S., Tommasi E., Saraceno P., Griffin M.</i>	685
Phase resolved X-ray spectra of Vela X-1		Quantitative spectral classification based on photoelectric spectrum scanner measurements of F-K stars	
<i>Kretschmar P., Pan H.C., Kendziorra E., Maisack M., Staubert R., Skinner G.K., Pietsch W., Trümper J., Efremov V., Sunyaev R.</i>	623	<i>Malyuto V., Schmidt-Kaler Th.</i>	693
Unusual increase in the 325 MHz flux density of PSR B0655+64		Quantitative spectroscopy of the He I cluster in the Galactic center	
<i>Galama T.J., de Bruyn A.G., van Paradijs J., Hanlon L., Bennett K.</i>	631	<i>Najarro F., Krabbe A., Genzel R., Lutz D., Kudritzki R.P., Hillier D.J.</i>	700
Rapid follow-up ROSAT observation of GRB 940301		Chromospheric velocity fields in α Orionis (M2 Iab) generated by stochastic shocks	
<i>Greiner J., Bade N., Hurley K., Kippen R.M., Laros J.</i>	640	<i>Cuntz M.</i>	709
Optical high-resolution spectroscopy of ROSAT detected late-type stars south of the Taurus molecular clouds		Turbulence, mass loss and H α emission by stochastic shocks in the hypergiant ρ Cassiopeiae	
<i>Neuhäuser R., Torres G., Sterzik M.F., Randich S.</i>	647	<i>de Jager C., Lobel A., Israelian G.</i>	714
The X-ray coronal emission of λ Andromedae observed with ASCA and ROSAT		Periodic changes of the accretion geometry in the nearly-synchronous polar RX J1940.1-1025	
<i>Ortolani A., Maggio A., Pallavicini R., Sciotino S., Drake J.J., Drake S.A.</i>	664	<i>Geckeler R.D., Staubert R.</i>	1070
S 10932 Comae - a jumping jack among the cataclysmic variables		Determination of lg g of several variable Herbig Ae/Be stars	
<i>Richter G.A., Kroll P., Greiner J., Wenzel W., Luthardt R., Schwarz R.</i>	994	<i>Kovalchuk G.U., Pugach A.F.</i>	1077
The X-ray view of the central part of IC 1396		The luminosity of the H α -emission envelopes of variable Is(A)-type stars	
<i>Schulz N.S., Berghöfer T.W., Zinnecker H.</i>	1001	<i>Pugach A.F., Kovalchuk G.U.</i>	1083
Theoretical interpretation of the metallic line doubling phenomenon in the variable star RR Lyrae		Aluminium in metal-poor stars	
<i>Fokin A.B., Gillet D.</i>	1013	<i>Baumüller D., Gehren T.</i>	1088
Indicators of star formation: 4000 Å break and Balmer lines		Analytical studies of collimated winds. IV. Rotating and collimated MHD outflows	
<i>Poggianti B.M., Barbaro G.</i>	1025	<i>Trussoni E., Tsinganos K., Sauty C.</i>	1099
On the absence of mildly recycled radio pulsars amongst the population of ordinary single radio pulsars		Coronal and chromospheric emission from cool stars in near-simultaneous ROSAT all-sky survey and Mount Wilson data	
<i>Hartman J.W., Portegies Zwart S., Verbunt F.</i>	1031	<i>Piters A.J.M., Schrijver C.J., Schmitt J.H.M.M., Rosso C., Balaunas S.L., van Paradijs J., Zwaan C.</i>	1115
Optical photometry of Sco X-2		Magnesium abundance in main sequence B-type and magnetic chemically peculiar stars	
<i>Barziv O., Kuulkers E., Méndez M., van der Hooft F., Groot P.J., van der Klis M., Kemper C., van Paradijs J.</i>	1035	<i>Leone F., Catalano F.A., Malaroda S.</i>	1125
Polar spots and stellar spindown: is dynamo saturation needed?		Diffuse matter in space (including H II regions and planetary nebulae)	
<i>Solanki S.K., Motamen S., Keppens R.</i>	1039	A survey of star-forming regions in the 5 cm lines of OH	
Spindown of the primary in AE Aquarii		<i>Baudry A., Desmurs J.F., Wilson T.L., Cohen R.J.</i>	255
<i>Ikhsanov N.R.</i>	1045	IR emission from carbon-dust in nebulae	
White dwarfs observed by the HIPPARCOS satellite		<i>Cecchi-Pestellini C., Colangeli L., Mennella V., Palumbo P., Rotundi A., Bussoletti E.</i>	269
<i>Vauclair G., Schmidt H., Koester D., Allard N.</i>	1055	Spectroscopy of the protoplanetary nebula AFGL 618	
Evolutionary estimates for 10 magnetic Ap stars calculated from their rigid rotator geometries		<i>Baessgen M., Hopfensitz W., Zweigle J.</i>	277
<i>Wade G.A.</i>	1063	The molecular environment of H ₂ O masers: VLA ammonia observations	
<i>Erratum: Discovery of an unusual new superoutburst star in Aquarius. Is it a superflare star or a fast nova?</i>		<i>Codella C., Testi L., Cesaroni R.</i>	282
<i>Toth I., Barcza S., Frontó A.</i>	1283	Non Crab-like Plerions?	
Stellar atmospheres		<i>Woltjer L., Salvati M., Pacini F., Bandiera R.</i>	295
Loop modeling of coronal X-ray spectra. IV. One- and two-loop model fitting of ROSAT PSPC spectra: three test cases		(RN) The residence time of dust grains in turbulent molecular clouds	
<i>Maggio A., Peres G.</i>	237	<i>Pijpers F.P.</i>	300
Simultaneous ORFEUS FUV and ROSAT X-ray observations of the young rapid rotator AB Doradus		The disk-outflow system around the high-mass (proto)star IRAS 20126+4104	
<i>Schmitt J.H.M.M., Krautter J., Appenzeller I., Mandel H., Wichmann R., Barnstedt J., Götz M., Grewing M., Gringel W., Haas C., Hopfensitz W., Kappelmann N., Krämer G.</i>	249	<i>Cesaroni R., Felli M., Testi L., Walmsley C.M., Olmi L.</i>	725
The spatial orientations of bipolar nebulae		Phillips J.P.	755

Successive SiO shocks along the L 1448 jet axis <i>Dutrey A., Guilloteau S., Bachiller R.</i>	758	Magnetic reconnection driven by emergence of sheared magnetic field <i>Schmieder B., Aulanier G., Démoulin P., van Driel-Gesztelyi L., Roudier T., Nitta N., Cauzzi G.</i>	1213
Time dependent ionization calculations of gaseous nebulae <i>Marten H., Szczerba R.</i>	1132		
Study of nova shells. II. FH Serpentis 1970 and QU Vulpeculae 1984, nebular expansion, parallax and luminosity <i>Della Valle M., Gilmozzi R., Bianchini A., Esenoglu H.</i>	1151		
Two ring nebulae around blue supergiants in the Large Magellanic Cloud <i>Weis K., Chu Y.-H., Duschl W.J., Bomans D.J.</i>	1157		
A 330–360 GHz spectral survey of G 34.3+0.15. II. Chemical modelling <i>Millar T.J., Macdonald G.H., Gibb A.G.</i>	1163		
The Sun			
Quasi-separatrix layers in solar flares. II. Observed magnetic configurations <i>Démoulin P., Bagalá L.G., Mandrini C.H., Hénoux J.C., Rovira M.G.</i>	305		
Wave heating of coronal loops driven by azimuthally polarised footpoint motions. I. Stationary behaviour in dissipative MHD <i>Berghmans D., Tirry W.J.</i>	318		
Wave heating of coronal loops driven by azimuthally polarised footpoint motions. II. The time-dependent behaviour in ideal MHD <i>Tirry W.J., Berghmans D.</i>	329		
Convection driven heating of the solar middle chromosphere by resistive dissipation of large scale electric currents. II <i>Goodman M.L.</i>	341		
Vertical prominence oscillations and stability. A comparison of the influence of the distant photosphere in Inverse Polarity and Normal Polarity prominence models <i>Schutgens N.A.J.</i>	352		
Determination of the length of coronal loops from the decay of X-ray flares. I. Solar flares observed with Yohkoh SXT <i>Reale F., Betta R., Peres G., Serio S., McTiernan J.</i>	782		
The effect of spatially dependent heating on the thermal equilibria of coronal loops <i>Mendoza-Briceño C.A., Hood A.W.</i>	791		
Emission of hydrogen lines by moving solar prominences <i>Gontikakis C., Vial J.-C., Gouttebroze P.</i>	803		
On the radiative transfer in atmospheres with randomly distributed inhomogeneities <i>Nikoghossian A.G., Pojaga S., Mouradian Z.</i>	813		
Speckle measurements of the centre-to-limb variation of the solar granulation <i>Wilken V., de Boer C.R., Denker C., Kneer F.</i>	819		
Variations of the apparent solar semidiameter observed with the astrolabe of Santiago <i>Noël F.</i>	825		
The diameter of the Sun over the past three centuries <i>Toulmonde M.</i>	1174		
Simulations of Zeeman-split Ca II K-line Stokes profiles with angle-dependent partial redistribution <i>Bruls J.H.M.J., Solanki S.K.</i>	1179		
Influence of kink waves in solar magnetic flux tubes on spectral lines <i>Ploner S.R.O., Solanki S.K.</i>	1199		
The solar system			
Refined analysis of interplanetary H-Ly α spectra obtained with the Hubble-Space Telescope GHRS spectrometer <i>Scherer H., Fahr H.J., Clarke J.T.</i>	745		
Interstellar gas filtration to the inner heliosphere under the selfconsistent influence of a pick-up ion modulated terminational shock <i>Kausch Th., Fahr H.J.</i>	828		
Ion emission line profiles in cometary plasma tails <i>Rauer H., Roesler F., Scherb F., Schmidt H.U., Wegmann R.</i>	839		
Thermal physics of asteroids. III. Irregular shapes and albedo variegations <i>Lagerros J.S.V.</i>	1226		
Injection of large grains into orbits around comet nuclei <i>Fulle M.</i>	1237		
The behavior of the Perseid stream in 1996 <i>Olech A.</i>	1249		
Photometry with a periodic grid. I. A new method to derive angular diameters and brightness distribution <i>Hestroffer D., Mignard F.</i>	1253		
Celestial mechanics and astrometry			
The de-censoring of the faint stars in Tycho photometry <i>Halbwachs J.L., Di Méo T., Grenon M., Großmann V., Høg E., Wicenec A.</i>	360		
Principles of statistical astrometry <i>Wielen R.</i>	367		
Results from a decade-long VLBI astrometric monitoring of the pair of quasars 1038+528 A and B <i>Rioja M.J., Marcaide J.M., Elósegui P., Shapiro I.I.</i>	383		
Physical and chemical processes			
Neutrino pair emission due to scattering of electrons off fluoroids in superfluid neutron star cores <i>Kaminker A.D., Yakovlev D.G., Haensel P.</i>	391		
Positron propagation in semi-relativistic plasmas: particle spectra and the annihilation line shape <i>Moskalenko I.V., Jourdain E.</i>	401		
Direct neutron captures and the r-process nucleosynthesis <i>Goriely S.</i>	414		
Nonlinear self-consistent three-dimensional arcade-like solutions of the magnetohydrostatic equations <i>Neukirch T.</i>	427		
Modified artificial viscosity in Smooth Particle Hydrodynamics <i>Selhammar M.</i>	457		
The pair production spectrum from photon-photon annihilation <i>Böttcher M., Schlickeiser R.</i>	466		
Chemical reactions in protoplanetary accretion disks. II. Carbon dust oxidation <i>Finocchi F., Gail H.-P., Duschl W.J.</i>	474		
Oscillator strengths for neutral selenium and tellurium <i>Ganas P.S.</i>	480		

